



LITHIUM BATTERY

Jon-NMC, Phosphate-LFP



# Abous Us:

LETHEX is a battery manufacturing company with a unique concept in the world.

# "The First Insulated Battery Made by Our Company in the World"

We as a reliable Indian Lithium battery(LFP, NMC) manufacturer and turnkey battery pack solution provider, focuses on the design, development, production & sales of lithium battery packs, serving diversified markets such as Electric Vehicles, OEM, Solar, UPS, material handling equipments, Agriculture Sprayer and industrial cleaning applications.

# Lethex Is A Brand Trusted By People

Our Lithium battery product solutions reflect genuinity in the longer run, utilized in the range of EV mobility and stationary applications which are:

- Environmental FriendlyDiverse Utilisation
- Supreme Performance
   Advanced Battery Precision

# Let's Drive the Future



# **Battery Key Features:**

- Unique battery design
- ► Fire Proof
- ▶ IP 67 Water Proof

- Discharging Socket
- Short circuit Protection Board
- Shock proof Electric Insulator

Design : Simple plug & play installation modular design

Technology : Proprietary & Superior BMS Remote Monitoring System

Performance: Provides greater mileage Enhanced fast charging

System : CAN, Blue tooth, etc.

# **Product Applications:**

- ▶ E-Scooter
   ▶ Bicycle/Bike
   ▶ Inverters
   ▶ Energy Storage System
   ▶ E-Tractor

# **Company Culture**

# **Corporation Vision**

Dedicate to creating the most valuable life stage for employees and supplying the most competitive battery products for customers.

# **Corporation Mission**

Providing superb quality and efficient battery and energy solutions to create value for customers.

# **Teamwork**

# Sincerity



Fact-oriented; Do what one Says; Don't talk big and talk empty;



Team spirit; More collaboration; More communication; More sharing; Help each other

# **Development**



Training; Veterans help the newly-recruited person; Target multiplied; Conclude experience.

# **Energetic**



Keep happy mood; Sense of belonging; Hold more activities: Create harmonious working environment.





# **Expert Technical Skills**

Our Technical experts will get you Long-lasting, reliable and professional products

# **Trustworthy**

Our Business has been built on trust and total customer satisfaction

# Friendly Service

Our after sales services are within hours, and in most cases same day!

# **Excellent Reputation**

We have built our reputation on the attention to details and our loyal service to our customers

# Affordable Prices

Our products are at affordable prices within your budget.

# 4 Types Lithium Battery

(Ion-NMC, Phosphate-LFP)

Customised Colour | Unbreakable | Fireproof | IP-67 Waterproof | Dust Proof | CAN & Bluetooth



# Li-ion Battery

# Capacity

48 V 25 Ah | 60 V 25 Ah | 60 V 35 Ah | 72 V 35 Ah 48 V 30 Ah | 60 V 30 Ah | 72 V 30 Ah

**Product Type**: Li-ion Battery

Outer Body : Insulated/Metal

Life : up to 6 years / 1500 cycle



# Li-Phosphate Battery

# Capacity

48 V 24 Ah | 60 V 24 Ah | 60 V 36 Ah | 72 V 36 Ah 48 V 30 Ah | 60 V 30 Ah | 72 V 30 Ah

**Product Type**: Li-Phosphate Battery

Outer Body : Insulated/Metal

Life : up to 6 years / 2500 cycle

# **Customised Battery**

 48 V 40 Ah
 60 V 35 Ah
 60 V 45 Ah
 72 V 35 Ah

 48 V 35 Ah
 60 V 40 Ah
 72 V 30 Ah
 72 V 30 Ah

 72 V 120 Ah
 72 V 150 Ah

 Battery Capacity for Different Appliacantions





# **Smart Lithium Ion Battery**

(12 V-10ah | 12 V-12ah)

40 times Spray in Single charge light weight: 0.7kg

# **High Energy Density**



Store Much more energy compared with lead-acid batteries. Batteries have a deep charge rate providing maximum versatility

# Powerful



Lethex Lithium-ion battery are nearly 4 times as powerful as SLA and can provide more time of use.

# **Eco Friendly**



Use more abundant and non-toxic materials that can be produced with less energy and easy to recycle

# Long Service Time



Lethex batteries have a long service life. These batteries will provide you with 1000 complete charge and discharge cycles





# **Battery Management System (BMS)**



# **Applications**

- Electric Vehicles (cars, trucks, busses, boats, heavy equipment, racing, etc)
- Hybrid & Plug-In Hybrid Vehicles
- Solar and wind energy storage
- UPS and peak shaving applications
- Research & Laboratory Testing

## **FEATURES**

- Supports multiple battery chemistries LFP, NMC
- Measures Individually 20 cell voltages in series
- Measures 8 cell temperatures
- Up to 90V Battery Packs
- Smart passive balancing algorithm with up to 110mA at 5.0V Cell
- State of Charge, State of Health, Capacity, Remaining Capacity.
- Cell over voltage, under voltage, Open wire, Cell over and under temperature hardware interlock layer protection
- ▶ Isolated CAN 2.0, 5.1 Bluetooth
- Pre-charge Control
- Current Sensor Monitoring
- Inbuilt Power Supply for 20S
- Fault Management
- **Data Logging**
- **Ultra-Low Power Dissipation**
- Automotive Grade
- Status LEDs for error indication and balancing
- Watchdogs and self-diagnostics safety systems
- Sleep mode current consumption is less than 50uA
- Compatible with our Dashboard in real time Offline and Online web portal also with IoT device
- ▶ 1.5 millivolt Accuracy Cell measurement
- Low impedance PDU Path Drive
- As per AIS156 Buzzer and LED indication on specific Temperature

# **Application**









**EV IP-67 Waterproof Charger** 


Water proof Multi stage Charger



## **KEY FEATURES**

- 3 Stage Charging (Trickle, CC, CV) with Equalization and 4 Stage charging (Trickle, CC, CV, Float) with Boost Stage.
- Micro Controller Based Battery Charger.
- Wide Input Range.
- Automatic Mode Selection
- ▶ LED Indication for Charging Status.
- ▶ High Efficiency.
- ▶ OCP, SCP, OVP, OTP, Reverse Battery Protection, Surge 4KV and EMI.
- CAN Enable (Optional)

# **CHARGING PROFILE**





### LED INDICATIONS

Stage	LED 01	LED 02
Standby Mode	• ON	• ON
(No Battery Connected)		
Trickle or 0 to 50% Charging	<ul> <li>Slow Blinking</li> </ul>	• ON
50 to 100% Charging	<ul> <li>Slow Blinking</li> </ul>	• ON
Battery Full Charge	• ON	• ON
OTP	• ON	• ON
Over Time	• ON	• ON
Error Code	• ON	• ON
Reverse Battery	• ON	• ON

### **PROTECTION RESPONSE**

### OVER CURRENT PROTECTION

When output is over loaded with 110% of rated current, the charger will turn off the output and no components will be damaged. The charger shall retry few seconds and does auto recovery when fault condition is removed.

### SHORT CIRCUIT PROTECTION

When output is being shorted, no components will be damaged. The charger will automatically recover when short is removed.

### **▶ OVER TEMPERATURE PROTECTION**

When the internal temperature exceeds the defined limits, the charger does over temperature detection and the output charging current shall be limited. Once the temperature comes down charger will recovery to normal mode.

### **▶ REVERSE BATTERY PROTECTION**

If Battery connections are wrong, the charger will not give output and no components will be damaged

### **▶ INPUT OVER VOLTAGE PROTECTION**

When the input voltage exceeds the defined limits the charger will not give output and no components will be damaged, once the voltage is normal the charger goes to normal mode.

# **Battery Features**

- ▶ IP-67 Water proof
- Unique Battery Design
- ► Fire Proof Structure
- Discharging Socket
- ▶ Genune Capacity
- Charging Point
- Over Voltage & Over
- ▶ Comfortable Handle
- ► Temp. Control board
- ▶ Eco-Friendly
- ▶ Shok Proof
- Customized Color
- ▶ Electric Insutator
- ► CAN, Bluetooth
- Short Circuit Protection Board





CAN,

Bluetooth



Long Backup



Low Maintenance



High Performance



Fast Charge Acceptance

# **Product Applications**

- E-Cycle Battery
- E-Rickshaw Battery
- ► E-Scooter Battery


E-Bike Battery

- E-Tractor
- Solar Battery
- Storage Battery
- Agriculture Spray Pump
- Loader & Heavy Machine











# Our Machinery:







# Certified by :















# **:: CONTACT US ::**

ADDRESS: 301, Avalon Business Hub, Katargam, Surat, Gujarat-INDIA 395004







( +91 90811 11799 ( +91 99133 79871 ( info@lethexenergy.com



www.lethexenergy.com